

Hole ID	From (ft)	To (ft)	Length (ft)	From (m)	To (m)	Length (m)	Co (%)	Cu (%)	CoEq (%)
IC17-01	300.0	315.0	15.0	90.5	95.1	4.5	0.17	0.01	0.17
IC17-01	430.0	445.0	15.0	129.8	134.3	4.5	0.23	0.00	0.23
IC17-01	456.7	469.0	12.3	137.8	141.5	3.7	0.17	0.01	0.17
IC17-02	177.0	247.0	70.0	53.4	74.5	21.1	0.44	0.08	0.45
IC17-03	240.0	310.0	70.0	72.4	93.6	21.1	0.38	0.15	0.40
IC17-03	464.0	475.0	11.0	140.0	143.4	3.3	0.21	0.00	0.21
IC17-04	265.0	441.9	176.9	80.0	133.4	53.4	0.21	0.11	0.22
IC17-04	1025.0	1045.0	20.0	309.3	315.4	6	0.16	0.00	0.16
IC17-05	430.0	470.0	40.0	129.8	141.8	12.1	0.32	0.03	0.32
IC17-05	635.0	660.0	25.0	191.6	199.2	7.5	0.25	0.00	0.25
IC17-05	680.0	775.0	95.0	205.2	233.9	28.7	0.23	0.00	0.23
IC17-06	295.0	505.0	210.0	89.0	152.4	63.4	0.31	0.03	0.31
IC17-06	645.0	655.0	10.0	194.7	197.7	3	0.17	0.00	0.17
IC17-07	170.0	210.0	40.0	51.3	63.4	12.1	0.18	0.17	0.20
IC17-07	255.0	390.0	135.0	77.0	117.7	40.7	0.09	0.15	0.11
IC17-07	585.0	600.0	15.0	176.6	181.1	4.5	0.16	0.00	0.16
IC17-07	675.0	685.0	10.0	203.7	206.7	3	0.19	0.00	0.19
IC17-07	740.0	770.0	30.0	223.3	232.4	9.1	0.15	0.01	0.15
IC17-08	325.0	397.5	72.5	98.1	120	21.9	0.46	0.06	0.47
IC17-08	430.0	440.0	10.0	129.8	132.8	3	0.17	0.01	0.17
IC17-08	520.0	535.0	15.0	156.9	161.5	4.5	0.29	0.00	0.29
IC17-09	210.0	275.0	65.0	63.4	83	19.6	0.15	0.05	0.16
IC17-09	295.0	480.0	185.0	89.0	144.9	55.8	0.10	0.03	0.10
IC17-10	85.0	310.0	225.0	25.7	93.6	67.9	0.21	0.90	0.30
IC17-10	638.3	644.6	6.3	192.6	194.5	1.9	0.18	0.00	0.18
IC17-11	185.0	320.0	135.0	55.8	96.6	40.7	0.10	0.08	0.11
IC17-11	660.0	710.0	50.0	199.2	214.3	15.1	0.14	0.00	0.14
IC17-11	905.0	927.4	22.4	273.1	279.9	6.8	0.10	0.00	0.10
IC17-11	962.5	967.5	5.0	290.5	292	1.5	0.15	0.01	0.15
IC17-12	35.0	100.0	65.0	10.6	30.2	19.6	0.21	0.45	0.26
IC17-13	160.0	285.0	125.0	48.3	86	37.7	0.10	0.05	0.11
IC17-13	330.0	365.0	35.0	99.6	110.2	10.6	0.08	0.51	0.13
IC17-14	62.0	394.5	332.5	18.7	119.1	100.3	0.09	0.32	0.12
IC17-15	164.0	172.0	8.0	49.5	51.9	2.4	0.13	0.00	0.13
IC17-15	185.0	229.0	44.0	55.8	69.1	13.3	0.23	0.21	0.25
IC17-15	245.0	295.0	50.0	73.9	89	15.1	0.11	0.21	0.13
IC17-15	340.0	375.0	35.0	102.6	113.2	10.6	0.08	0.53	0.13
IC17-15	438.6	442.8	4.2	132.4	133.6	1.3	0.16	0.00	0.16
IC17-15	462.6	491.6	29.0	139.6	148.4	8.8	0.11	0.00	0.11
IC17-15	725.0	735.0	10.0	218.8	221.8	3	0.14	0.00	0.14
IC17-16	41.7	160.0	118.3	12.6	48.3	35.7	0.16	0.21	0.18
IC17-16	210.0	230.0	20.0	63.4	69.4	6	0.18	0.53	0.23
IC17-16	250.0	296.8	46.8	75.5	89.6	14.1	0.14	2.33	0.37
IC17-16	410.0	540.0	130.0	123.7	163	39.2	0.15	0.00	0.15
IC17-17	154.5	659.7	505.2	46.6	199.1	152.5	0.11	0.11	0.12
IC17-18	245.0	265.0	20.0	73.9	80	6	0.06	1.97	0.26
IC17-18	318.7	330.0	11.3	96.2	99.6	3.4	0.13	0.42	0.17
IC17-18	445.0	460.0	15.0	134.3	138.8	4.5	0.04	0.74	0.11
IC17-18	486.2	503.5	17.3	146.7	152	5.2	0.23	0.01	0.23
IC17-18	695.0	700.0	5.0	209.8	211.3	1.5	0.21	0.01	0.21
IC17-19	121.0	185.0	64.0	36.5	55.8	19.3	0.30	0.74	0.37
IC17-19	205.0	217.4	12.4	61.9	65.6	3.7	0.12	0.64	0.18
IC17-19	292.0	328.8	36.8	88.1	99.2	11.1	0.15	0.53	0.20

Hole ID	From (ft)	To (ft)	Length (ft)	From (m)	To (m)	Length (m)	Co (%)	Cu (%)	CoEq (%)
IC17-19	365.0	393.0	28.0	110.2	118.6	8.5	0.23	0.00	0.23
IC17-19	435.0	445.0	10.0	131.3	134.3	3	0.15	0.00	0.15
IC17-20	425.5	481.6	56.1	128.4	145.3	16.9	0.07	1.38	0.21
IC17-20	562.0	568.5	6.5	169.6	171.6	2	0.17	0.11	0.18
IC17-20	608.1	661.7	53.6	183.5	199.7	16.2	0.10	0.00	0.10
IC17-20	902.5	912.5	10.0	272.4	275.4	3	0.14	0.00	0.14
IC17-20	983.2	992.6	9.4	296.7	299.6	2.8	0.12	2.65	0.39
IC17-21	129.0	203.7	74.7	38.9	61.5	22.5	0.23	0.32	0.26
IC17-21	345.6	392.1	46.5	104.3	118.3	14	0.24	0.01	0.24
IC17-21	425.6	457.0	31.4	128.4	137.9	9.5	0.17	0.00	0.17
IC17-21	583.0	592.1	9.1	175.9	178.7	2.7	0.12	0.02	0.12
IC17-21	753.0	762.0	9.0	227.3	230	2.7	0.10	0.01	0.10
IC17-21	854.8	860.0	5.2	258.0	259.5	1.6	0.18	0.03	0.18
IC17-22	332.7	348.0	15.3	100.4	105	4.6	0.09	1.04	0.19
IC17-22	430.0	473.0	43.0	129.8	142.8	13	0.11	0.16	0.13
IC17-22	608.1	942.0	333.9	183.5	284.3	100.8	0.14	0.02	0.14
IC17-23	149.2	500.8	351.6	45.0	151.1	106.1	0.12	0.08	0.13
IC17-23	570.1	606.2	36.1	172.1	183	10.9	0.11	0.01	0.11
IC17-24	633.1	647.7	14.6	191.1	195.5	4.4	0.23	3.53	0.58
IC17-24	792.0	799.2	7.2	239.0	241.2	2.2	0.20	0.36	0.24
IC17-24	818.6	842.4	23.8	247.1	254.2	7.2	0.12	0.01	0.12
IC17-24	903.0	909.6	6.6	272.5	274.5	2	0.17	0.00	0.17
IC17-24	985.2	1054.8	69.6	297.3	318.3	21	0.17	0.00	0.17
IC17-24	1088.4	1099.6	11.2	328.5	331.9	3.4	0.10	0.00	0.10
IC17-25	202.7	365.9	163.2	61.2	110.4	49.3	0.11	0.06	0.12
IC17-25	454.4	480.0	25.6	137.1	144.9	7.7	0.21	0.01	0.21
IC17-25	522.1	629.4	107.3	157.6	190	32.4	0.15	0.01	0.15
IC17-25	673.5	679.0	5.5	203.3	204.9	1.7	0.25	0.00	0.25
IC17-26	222.0	229.1	7.1	67.0	69.1	2.1	0.29	0.08	0.30
IC17-26	249.0	279.5	30.5	75.1	84.4	9.2	0.35	0.02	0.35
IC17-26	329.9	347.0	17.1	99.6	104.7	5.2	0.26	0.01	0.26
IC17-26	515.7	522.0	6.3	155.6	157.5	1.9	0.22	0.08	0.23
IC17-26	636.7	647.0	10.3	192.2	195.3	3.1	0.18	1.68	0.35
IC17-26	660.6	677.9	17.3	199.4	204.6	5.2	0.20	0.17	0.22
IC17-26	767.0	782.0	15.0	231.5	236	4.5	0.24	0.04	0.24
IC17-27	826.3	934.8	108.5	249.4	282.1	32.7	0.17	0.01	0.17
IC17-27	1005.8	1058.2	52.4	303.6	319.4	15.8	0.11	0.01	0.11
IC17-27	1098.2	1103.5	5.3	331.4	333	1.6	0.20	0.00	0.20
IC17-28	206.7	247.2	40.5	62.4	74.6	12.2	0.14	2.46	0.39
IC17-28	408.7	477.2	68.5	123.3	144	20.7	0.16	0.18	0.18
IC17-28	585.0	621.5	36.5	176.6	187.6	11	0.12	0.06	0.13
IC17-29	182.3	185.0	2.7	55.0	55.8	0.8	0.52	0.08	0.53
IC17-29	239.8	245.4	5.6	72.4	74.1	1.7	0.34	0.10	0.35
IC17-29	297.5	309.0	11.5	89.8	93.3	3.5	0.13	0.00	0.13
IC17-29	371.0	471.0	100.0	112.0	142.1	30.2	0.35	0.53	0.40
IC17-30	265.0	315.2	50.2	80.0	95.1	15.2	0.07	2.58	0.33
IC17-30	425.0	450.0	25.0	128.3	135.8	7.5	0.11	0.37	0.15
IC17-30	546.0	685.0	139.0	164.8	206.7	42	0.14	0.20	0.16
IC17-30	715.0	720.0	5.0	215.8	217.3	1.5	0.27	0.00	0.27
IC17-31	180.0	191.6	11.6	54.3	57.8	3.5	0.21	0.00	0.21
IC17-31	224.1	263.7	39.6	67.6	79.6	12	0.23	0.00	0.23
IC17-31	345.2	349.0	3.8	104.2	105.3	1.1	0.23	0.00	0.23
IC17-31	416.5	419.7	3.2	125.7	126.7	1	0.20	0.02	0.20

Hole ID	From (ft)	To (ft)	Length (ft)	From (m)	To (m)	Length (m)	Co (%)	Cu (%)	CoEq (%)
IC17-31	497.0	520.3	23.3	150.0	157	7	0.14	0.13	0.15
IC17-31	582.5	590.1	7.6	175.8	178.1	2.3	0.13	0.01	0.13
IC17-32	160.0	316.3	156.3	48.3	95.5	47.2	0.14	0.12	0.15
IC17-32	372.7	379.5	6.8	112.5	114.5	2.1	0.14	0.03	0.14
IC17-32	937.0	974.5	37.5	282.8	294.1	11.3	0.14	2.88	0.43
IC17-32	1037.4	1076.0	38.6	313.1	324.7	11.6	0.01	1.04	0.11
IC17-33	99.2	336.7	237.5	29.9	101.6	71.7	0.15	0.00	0.15
IC17-33	639.6	744.2	104.6	193.0	224.6	31.6	0.20	0.00	0.20
IC17-33	864.0	877.2	13.2	260.8	264.7	4	0.13	0.00	0.13
IC17-33	906.6	933.0	26.4	273.6	281.6	8	0.18	0.01	0.18
IC17-33	976.6	988.8	12.2	294.7	298.4	3.7	0.13	0.00	0.13
IC17-34	233.0	282.0	49.0	70.3	85.1	14.8	0.13	0.20	0.15
IC17-34	364.5	436.0	71.5	110.0	131.6	21.6	0.28	0.07	0.29
IC17-34	780.0	822.6	42.6	235.4	248.3	12.9	0.23	0.50	0.28
IC17-35	89.3	289.6	200.3	27.0	87.4	60.5	0.16	0.00	0.16
IC17-35	511.2	529.1	17.9	154.3	159.7	5.4	0.15	0.00	0.15
IC17-35	666.4	692.2	25.8	201.1	208.9	7.8	0.12	0.00	0.12
IC17-36	180.4	214.5	34.1	54.4	64.7	10.3	0.18	0.23	0.20
IC17-36	276.0	281.0	5.0	83.3	84.8	1.5	0.22	0.12	0.23
IC17-36	375.5	412.0	36.5	113.3	124.3	11	0.11	0.29	0.14
IC17-37	64.0	322.0	258.0	19.3	97.2	77.9	0.15	0.00	0.15
IC17-37	508.0	523.0	15.0	153.3	157.8	4.5	0.14	0.00	0.14
IC17-37	645.0	663.0	18.0	194.7	200.1	5.4	0.15	0.00	0.15
IC17-37	785.0	830.0	45.0	236.9	250.5	13.6	0.16	0.00	0.16
IC17-38	249.7	258.3	8.6	75.4	78	2.6	0.22	0.12	0.23
IC17-38	333.5	364.8	31.3	100.7	110.1	9.4	0.14	0.06	0.15
IC17-38	397.0	419.1	22.1	119.8	126.5	6.7	0.23	0.00	0.23
IC17-38	602.4	612.9	10.5	181.8	185	3.2	0.14	0.00	0.14
IC17-38	671.9	684.7	12.8	202.8	206.6	3.9	0.28	0.00	0.28
IC17-38	735.8	1025.7	289.9	222.1	309.6	87.5	0.17	0.00	0.17
IC17-39	103.8	323.0	219.2	31.3	97.5	66.2	0.17	0.01	0.17
IC17-39	686.4	1028.9	342.5	207.2	310.5	103.4	0.13	0.00	0.13
IC17-39	1170.8	1178.0	7.2	353.3	355.5	2.2	0.26	0.01	0.26
IC17-40	332.0	350.0	18.0	100.2	105.6	5.4	0.06	0.45	0.11
IC17-40	370.2	377.1	6.9	111.7	113.8	2.1	0.02	1.87	0.21
IC17-40	435.0	628.6	193.6	131.3	189.7	58.4	0.12	0.50	0.17
IC18-01	80.8	268.3	187.5	24.4	81	56.6	0.18	0.26	0.21
IC18-01	317.5	325.0	7.5	95.8	98.1	2.3	0.06	0.79	0.14
IC18-01	466.5	474.1	7.6	140.8	143.1	2.3	0.12	0.54	0.17
IC18-02	130.0	180.0	50.0	39.2	54.3	15.1	0.13	0.26	0.16
IC18-02	210.0	219.0	9.0	63.4	66.1	2.7	0.25	0.07	0.26
IC18-02	414.0	424.0	10.0	124.9	128	3	0.14	0.03	0.14
IC18-02	732.8	737.0	4.2	221.2	222.4	1.3	0.12	0.08	0.13
IC18-03	183.0	442.7	259.7	55.2	133.6	78.4	0.19	0.05	0.20
IC18-03	536.5	540.0	3.5	161.9	163	1.1	0.19	0.03	0.19
IC18-03	566.6	582.8	16.2	171.0	175.9	4.9	0.16	0.03	0.16
IC18-03	614.3	618.3	4.0	185.4	186.6	1.2	0.14	0.02	0.14
IC18-03	682.3	688.2	5.9	205.9	207.7	1.8	0.26	0.01	0.26
IC18-03	818.2	821.5	3.3	246.9	247.9	1	0.18	0.06	0.19
IC18-04	60.0	223.0	163.0	18.1	67.3	49.2	0.10	0.31	0.13
IC18-04	245.0	251.0	6.0	73.9	75.8	1.8	0.10	1.64	0.26
IC18-04	418.0	424.0	6.0	126.2	128	1.8	0.15	1.09	0.26
IC18-05	130.5	254.6	124.1	39.4	76.8	37.5	0.12	0.41	0.16

Hole ID	From (ft)	To (ft)	Length (ft)	From (m)	To (m)	Length (m)	Co (%)	Cu (%)	CoEq (%)
IC18-05	422.0	444.0	22.0	127.4	134	6.6	0.12	0.98	0.22
IC18-05	489.0	499.4	10.4	147.6	150.7	3.1	0.10	0.87	0.19
IC18-06A	5.0	10.0	5.0	1.5	3	1.5	0.11	0.02	0.11
IC18-06A	196.0	206.0	10.0	59.2	62.2	3	0.04	2.96	0.34
IC18-07	25.0	29.0	4.0	7.5	8.8	1.2	0.19	0.05	0.20
IC18-07	132.6	139.0	6.4	40.0	42	1.9	0.10	0.56	0.16
IC18-07	256.4	461.0	204.6	77.4	139.1	61.7	0.28	0.22	0.30
IC18-07	493.2	502.4	9.2	148.8	151.6	2.8	0.29	0.32	0.32
IC18-07	608.2	615.2	7.0	183.6	185.7	2.1	0.23	0.22	0.25
IC18-07	652.1	680.0	27.9	196.8	205.2	8.4	0.13	0.04	0.13
IC18-07	827.5	834.8	7.3	249.7	251.9	2.2	0.10	0.02	0.10
IC18-08	4.0	8.0	4.0	1.2	2.4	1.2	0.42	0.05	0.43
IC18-08	169.0	174.0	5.0	51.0	52.5	1.5	0.15	1.17	0.27
IC18-08	221.0	247.6	26.6	66.7	74.7	8	0.15	1.12	0.26
IC18-08	262.4	270.3	7.9	79.2	81.6	2.4	0.11	0.67	0.18
IC18-08	333.0	343.0	10.0	100.5	103.5	3	0.34	0.01	0.34
IC18-08	425.0	465.8	40.8	128.3	140.6	12.3	0.11	0.00	0.11
IC18-08	536.5	567.0	30.5	161.9	171.1	9.2	0.15	0.00	0.15
IC18-08	608.0	615.0	7.0	183.5	185.6	2.1	0.18	0.01	0.18
IC18-09	49.1	52.8	3.7	14.8	15.9	1.1	0.22	0.45	0.27
IC18-09	78.2	79.2	1.0	23.6	23.9	0.3	0.72	0.28	0.75
IC18-09	126.0	213.5	87.5	38.0	64.4	26.4	0.23	0.17	0.25
IC18-09	273.6	307.0	33.4	82.6	92.7	10.1	0.33	0.03	0.33
IC18-09	413.0	424.0	11.0	124.6	128	3.3	0.11	0.21	0.13
IC18-09	433.2	437.4	4.2	130.7	132	1.3	0.14	0.07	0.15
IC18-10	113.5	147.7	34.2	34.3	44.6	10.3	0.08	0.55	0.14
IC18-10	220.0	357.0	137.0	66.4	107.7	41.3	0.11	0.28	0.14
IC18-11	82.3	104.0	21.7	24.8	31.4	6.5	0.19	0.83	0.27
IC18-11	160.1	166.7	6.6	48.3	50.3	2	0.17	0.28	0.20
IC18-11	214.3	235.7	21.4	64.7	71.1	6.5	0.12	0.39	0.16
IC18-11	508.7	510.0	1.3	153.5	153.9	0.4	0.28	0.25	0.31
IC18-12	181.8	212.0	30.2	54.9	64	9.1	0.25	0.27	0.28
IC18-12	444.0	451.6	7.6	134.0	136.3	2.3	0.15	0.06	0.16
IC18-12	487.0	491.7	4.7	147.0	148.4	1.4	0.11	0.01	0.11
IC18-12	502.4	506.9	4.5	151.6	153	1.4	0.11	0.03	0.11
IC18-13	34.0	35.5	1.5	10.3	10.7	0.5	0.42	0.18	0.44
IC18-13	61.4	65.2	3.8	18.5	19.7	1.1	0.20	0.43	0.24
IC18-13	209.1	216.5	7.4	63.1	65.3	2.2	0.20	0.14	0.21
IC18-13	237.7	239.0	1.3	71.7	72.1	0.4	0.25	2.40	0.49
IC18-13	253.2	296.7	43.5	76.4	89.5	13.1	0.13	0.71	0.20
IC18-13	349.2	366.5	17.3	105.4	110.6	5.2	0.11	0.89	0.20
IC18-13	375.3	380.8	5.5	113.3	114.9	1.7	0.15	1.14	0.26
IC18-13	556.7	582.3	25.6	168.0	175.7	7.7	0.01	1.67	0.18
IC18-14	59.5	65.2	5.7	18.0	19.7	1.7	0.18	0.11	0.19
IC18-14	227.0	233.2	6.2	68.5	70.4	1.9	0.25	0.23	0.27
IC18-14	273.0	274.0	1.0	82.4	82.7	0.3	0.23	1.59	0.39
IC18-14	293.0	294.0	1.0	88.4	88.7	0.3	0.39	6.60	1.05
IC18-14	319.0	322.3	3.3	96.3	97.3	1	0.38	6.70	1.05
IC18-15	29.0	33.7	4.7	8.8	10.2	1.4	0.12	0.09	0.13
IC18-15	50.6	201.3	150.7	15.3	60.8	45.5	0.19	0.20	0.21
IC18-15	456.3	459.0	2.7	137.7	138.5	0.8	0.11	0.02	0.11
IC18-16	77.0	80.0	3.0	23.2	24.1	0.9	0.44	0.21	0.46
IC18-16	95.0	100.7	5.7	28.7	30.4	1.7	0.17	0.12	0.18

Hole ID	From (ft)	To (ft)	Length (ft)	From (m)	To (m)	Length (m)	Co (%)	Cu (%)	CoEq (%)
IC18-16	115.7	156.6	40.9	34.9	47.3	12.3	0.23	0.41	0.27
IC18-16	265.6	286.9	21.3	80.2	86.6	6.4	0.50	0.02	0.50
IC18-16	310.8	316.0	5.2	93.8	95.4	1.6	0.24	0.07	0.25
IC18-16	327.3	330.9	3.6	98.8	99.9	1.1	0.18	0.59	0.24
IC18-16	336.4	340.1	3.7	101.5	102.6	1.1	0.12	0.39	0.16
IC18-16	442.2	445.0	2.8	133.5	134.3	0.8	0.14	0.04	0.14
IC18-16	462.3	466.2	3.9	139.5	140.7	1.2	0.10	0.03	0.10
IC18-17	225.0	243.0	18.0	67.9	73.3	5.4	0.37	0.12	0.38
IC18-17	359.0	375.0	16.0	108.3	113.2	4.8	0.19	0.03	0.19
IC18-17	614.0	617.5	3.5	185.3	186.4	1.1	0.37	0.02	0.37
IC18-17	656.0	666.0	10.0	198.0	201	3	0.16	0.01	0.16
IC18-18A	0.0	24.0	24.0	0.0	7.2	7.2	0.62	0.02	0.62
IC18-18A	299.6	321.0	21.4	90.4	96.9	6.5	0.11	0.24	0.13
IC18-18A	332.9	343.8	10.9	100.5	103.8	3.3	0.43	8.00	1.23
IC18-18A	500.2	504.7	4.5	151.0	152.3	1.4	0.01	2.14	0.22
IC18-18A	514.2	520.9	6.7	155.2	157.2	2	0.01	1.59	0.17
IC18-18A	558.7	559.8	1.1	168.6	168.9	0.3	0.01	4.11	0.42
IC18-18A	609.0	613.8	4.8	183.8	185.2	1.4	0.02	4.42	0.46
IC18-18A	632.8	689.0	56.2	191.0	207.9	17	0.01	3.84	0.39
IC18-18A	699.0	727.8	28.8	211.0	219.7	8.7	0.01	2.29	0.24
IC18-19	0.0	26.0	26.0	0.0	7.8	7.8	0.51	0.04	0.51
IC18-19	67.0	88.7	21.7	20.2	26.8	6.5	0.02	2.42	0.26
IC18-19	149.0	212.0	63.0	45.0	64	19	0.01	4.04	0.41
IC18-20	0.0	18.9	18.9	0.0	5.7	5.7	0.39	0.03	0.39
IC18-20	40.0	44.3	4.3	12.1	13.4	1.3	0.11	3.60	0.47
IC18-20	133.4	156.7	23.3	40.3	47.3	7	0.01	2.87	0.30
IC18-23	0.0	11.2	11.2	0.0	3.4	3.4	0.68	0.81	0.76
IC18-23	23.1	31.2	8.1	7.0	9.4	2.4	0.16	0.34	0.19
IC18-23	138.1	140.7	2.6	41.7	42.5	0.8	0.34	4.30	0.77
IC18-23	158.4	173.7	15.3	47.8	52.4	4.6	0.06	2.62	0.32
IC18-24	55.0	58.6	3.6	16.8	17.9	1.1	0.19	0.08	0.20
IC18-24	119.0	139.0	20.0	36.3	42.4	6.1	0.16	1.77	0.34
IC18-24	186.6	199.5	12.9	56.9	60.8	3.9	0.26	0.34	0.29
IC18-24	213.4	259.0	45.6	65.0	78.9	13.9	0.22	0.17	0.24
IC18-24	318.3	334.6	16.3	97.0	102	5	0.44	0.48	0.49
IC18-24	395.5	400.4	4.9	120.5	122	1.5	0.19	0.03	0.19
IC18-24	408.3	413.2	4.9	124.4	125.9	1.5	0.15	0.63	0.21
IC18-24	448.2	452.7	4.5	136.6	138	1.4	0.11	0.08	0.12
IC18-24	485.8	510.8	25.0	148.1	155.7	7.6	0.16	0.12	0.17
IC18-25	500.7	570.9	70.2	152.6	174	21.4	0.25	0.70	0.32
IC18-25	784.1	884.8	100.7	239.0	269.7	30.7	0.17	0.00	0.17
IC18-26	0.0	61.0	61.0	0.0	18.6	18.6	0.28	1.18	0.40
IC18-26	16.5	22.5	6.0	5.0	6.9	1.8	0.60	0.89	0.69
IC18-26	98.0	108.0	10.0	29.9	32.9	3	0.09	0.28	0.12
IC18-26	140.5	144.7	4.2	42.8	44.1	1.3	0.24	0.21	0.26
IC18-26	188.0	203.0	15.0	57.3	61.9	4.6	0.30	0.41	0.34
IC18-26	292.8	310.4	17.6	89.2	94.6	5.4	0.11	0.01	0.11
IC18-27	0.0	45.3	45.3	0.0	13.8	13.8	0.38	1.63	0.54
IC18-27	34.0	44.0	10.0	10.4	13.4	3	0.61	2.02	0.81
IC18-27	63.7	76.3	12.6	19.4	23.3	3.8	0.04	1.07	0.15
IC18-27	105.5	109.0	3.5	32.2	33.2	1.1	0.12	0.27	0.15
IC18-27	290.0	294.0	4.0	88.4	89.6	1.2	0.17	0.10	0.18
IC18-27	334.0	349.0	15.0	101.8	106.4	4.6	0.21	0.00	0.21

Hole ID	From (ft)	To (ft)	Length (ft)	From (m)	To (m)	Length (m)	Co (%)	Cu (%)	CoEq (%)
IC18-27	378.8	381.5	2.7	115.5	116.3	0.8	0.18	0.00	0.18
IC18-28	0.0	89.0	89.0	0.0	27.1	27.1	0.30	1.21	0.42
IC18-28	17.0	29.0	12.0	5.2	8.8	3.7	0.60	1.38	0.74
IC18-28	123.0	134.0	11.0	37.5	40.8	3.4	0.12	0.04	0.12
IC18-28	154.0	163.0	9.0	46.9	49.7	2.7	0.24	0.11	0.25
IC18-28	176.0	194.0	18.0	53.6	59.1	5.5	0.30	0.09	0.31
IC18-28	176.0	183.0	7.0	53.6	55.8	2.1	0.57	0.20	0.59
IC18-28	221.5	228.0	6.5	67.5	69.5	2	0.21	0.01	0.21
IC18-28	348.8	364.0	15.2	106.3	110.9	4.6	0.23	0.01	0.23
IC18-29	0.0	146.0	146.0	0.0	44.5	44.5	0.34	0.59	0.40
IC18-29	15.0	30.0	15.0	4.6	9.1	4.6	0.48	1.10	0.59
IC18-29	62.5	86.0	23.5	19.1	26.2	7.2	0.65	0.38	0.69
IC18-29	209.0	234.0	25.0	63.7	71.3	7.6	0.11	0.00	0.11
IC18-29	249.0	255.7	6.7	75.9	77.9	2	0.22	0.00	0.22
IC18-29	447.7	456.0	8.3	136.5	139	2.5	0.14	0.01	0.14
ICS18-01	483.0	510.0	27.0	147.2	155.4	8.2	0.01	1.39	0.15
ICS18-01	518.0	542.6	24.6	157.9	165.4	7.5	0.16	0.11	0.17
ICS18-01	624.0	627.8	3.8	190.2	191.4	1.2	0.24	0.25	0.27
ICS18-01	713.0	716.2	3.2	217.3	218.3	1	0.23	0.01	0.23
ICS18-01	769.7	774.7	5.0	234.6	236.1	1.5	0.11	0.00	0.11
ICS18-01	809.2	811.0	1.8	246.6	247.2	0.5	0.34	0.00	0.34
ICS18-01	828.0	834.0	6.0	252.4	254.2	1.8	0.16	0.00	0.16
ICS18-01	839.6	841.6	2.0	255.9	256.5	0.6	0.18	0.00	0.18
ICS18-01	868.4	874.0	5.6	264.7	266.4	1.7	0.14	0.00	0.14
ICS18-01	953.1	966.3	13.2	290.5	294.5	4	0.13	0.00	0.13
ICS18-01	1053.0	1063.0	10.0	321.0	324	3	0.17	0.00	0.17
ICS18-01	1077.4	1090.0	12.6	328.4	332.2	3.8	0.11	0.00	0.11
ICS18-02	351.0	457.7	106.7	107.0	139.5	32.5	0.27	1.09	0.38
ICS18-02	419.0	449.7	30.7	127.7	137.1	9.4	0.45	2.07	0.66
ICS18-02	495.5	521.3	25.8	151.0	158.9	7.9	0.12	0.01	0.12
ICS18-02	551.4	582.0	30.6	168.1	177.4	9.3	0.19	0.00	0.19
ICS18-02	554.4	572.4	18.0	169.0	174.5	5.5	0.26	0.00	0.26
ICS18-02	617.6	628.3	10.7	188.2	191.5	3.3	0.24	0.00	0.24
ICS18-03	409.0	518.0	109.0	124.7	157.9	33.2	0.35	0.62	0.41
ICS18-03	456.0	464.6	8.6	139.0	141.6	2.6	0.55	0.66	0.62
ICS18-03	495.0	518.0	23.0	150.9	157.9	7	0.64	0.19	0.66
ICS18-03	540.0	545.0	5.0	164.6	166.1	1.5	0.14	0.01	0.14
ICS18-03	610.0	628.0	18.0	185.9	191.4	5.5	0.11	0.01	0.11
ICS18-04	675.2	678.4	3.2	205.8	206.8	1	0.46	0.56	0.52
ICS18-04	738.0	745.6	7.6	224.9	227.3	2.3	0.19	0.01	0.19
ICS18-04	831.5	875.0	43.5	253.4	266.7	13.3	0.15	0.01	0.15
ICS18-04	908.0	910.6	2.6	276.8	277.6	0.8	0.25	0.00	0.25
ICS18-04	992.4	996.3	3.9	302.5	303.7	1.2	0.12	0.00	0.12
ICS18-05	468.0	469.9	1.9	142.6	143.2	0.6	0.58	0.17	0.60
ICS18-05	484.3	505.5	21.2	147.6	154.1	6.5	0.38	0.40	0.42
ICS18-05	490.8	493.5	2.7	149.6	150.4	0.8	0.62	0.17	0.64
ICS18-05	502.1	505.5	3.4	153.0	154.1	1	0.64	0.73	0.71
ICS18-05	519.1	532.6	13.5	158.2	162.3	4.1	0.66	0.13	0.67
ICS18-05	525.7	531.2	5.5	160.2	161.9	1.7	1.02	0.14	1.03
ICS18-05	580.5	600.9	20.4	176.9	183.2	6.2	0.49	0.01	0.49
ICS18-06B	169.2	173.0	3.8	51.6	52.7	1.2	0.14	1.65	0.31
ICS18-06B	368.0	373.0	5.0	112.2	113.7	1.5	0.08	0.22	0.10
ICS18-06B	428.0	433.0	5.0	130.5	132	1.5	0.03	2.65	0.30

Hole ID	From (ft)	To (ft)	Length (ft)	From (m)	To (m)	Length (m)	Co (%)	Cu (%)	CoEq (%)
ICS18-06B	498.0	673.4	175.4	151.8	205.3	53.5	0.31	0.31	0.34
ICS18-06B	711.7	715.9	4.2	216.9	218.2	1.3	0.06	2.54	0.31
ICS18-07	320.3	325.0	4.7	97.6	99.1	1.4	0.09	0.22	0.11
ICS18-07	585.0	609.3	24.3	178.3	185.7	7.4	0.29	0.03	0.29
ICS18-07	620.0	633.0	13.0	189.0	192.9	4	0.16	0.09	0.17
ICS18-07	645.0	675.5	30.5	196.6	205.9	9.3	0.22	0.01	0.22
ICS18-07	683.0	685.0	2.0	208.2	208.8	0.6	0.32	0.02	0.32
ICS18-07	728.0	733.0	5.0	221.9	223.4	1.5	0.04	2.69	0.31
ICS18-07	790.0	795.0	5.0	240.8	242.3	1.5	0.05	2.70	0.32
ICS18-07	825.0	850.0	25.0	251.5	259.1	7.6	0.28	0.33	0.31
ICS18-07	923.0	925.0	2.0	281.3	281.9	0.6	0.16	0.01	0.16
ICS18-08	372.4	399.6	27.2	113.5	121.8	8.3	0.09	0.85	0.18
ICS18-08	372.4	380.7	8.3	113.5	116.0	2.5	0.13	1.80	0.31
ICS18-08	518.0	519.6	1.6	157.9	158.4	0.5	0.26	1.64	0.42
ICS18-08	537.6	547.2	9.6	163.9	166.8	2.9	0.68	0.04	0.69
ICS18-08	745.4	748.3	2.9	227.2	228.1	0.9	0.19	0.00	0.19
ICS18-08	791.7	793.4	1.7	241.3	241.8	0.5	0.23	0.00	0.23
ICS18-11	396.0	409.6	13.6	120.7	124.8	4.1	0.01	2.44	0.25
ICS18-11	493.0	518.1	25.1	150.3	157.9	7.7	0.10	0.09	0.11
ICS18-11	499.8	502.0	2.2	152.3	153.0	0.7	0.32	0.31	0.35
ICS18-11	562.8	632.0	69.2	171.5	192.6	21.1	0.18	0.03	0.19
ICS18-11	602.0	627.4	25.4	183.5	191.2	7.7	0.30	0.01	0.30
ICS18-11	644.5	647.6	3.1	196.4	197.4	0.9	0.31	0.15	0.32
ICS18-11	735.0	785.0	50.0	224.0	239.3	15.2	0.31	0.01	0.31
ICS18-11	735.0	740.0	5.0	224.0	225.6	1.5	0.45	0.01	0.46
ICS18-11	750.0	760.0	10.0	228.6	231.6	3.0	0.69	0.01	0.69
ICS18-11	845.0	872.7	27.7	257.6	266.0	8.4	0.14	0.00	0.14
ICS18-11	920.7	924.4	3.7	280.6	281.8	1.1	0.21	0.01	0.21
ICS18-11	946.8	951.8	5.0	288.6	290.1	1.5	0.11	0.01	0.11
ICS18-11	990.0	995.0	5.0	301.8	303.3	1.5	0.13	0.02	0.13
ICS18-11	1008.2	1013.0	4.8	307.3	308.8	1.5	0.19	0.04	0.20
ICS18-11	1045.0	1047.8	2.8	318.5	319.4	0.9	0.14	0.01	0.14
ICS18-14	674.0	693.9	19.9	205.4	211.5	6.1	0.19	0.04	0.20
ICS18-14	689.7	693.9	4.2	210.2	211.5	1.3	0.51	0.06	0.52
ICS18-14	890.6	1007.1	116.5	271.5	307.0	35.5	0.13	0.00	0.13
ICS18-14	964.1	977.6	13.5	293.9	298.0	4.1	0.25	0.00	0.25
ICS18-14	1127.5	1135.0	7.5	343.7	345.9	2.3	0.32	0.00	0.32
ICS18-10A	808.4	903.0	94.6	246.4	275.2	28.8	0.16	0.07	0.17
ICS18-10A	812.2	819.5	7.3	247.6	249.8	2.2	0.38	0.09	0.38
ICS18-10A	1003.0	1028.3	25.3	305.7	313.4	7.7	0.10	0.34	0.13
ICS18-10A	1037.0	1123.0	86.0	316.1	342.3	26.2	0.15	0.01	0.15
ICS18-10A	1037.0	1049.4	12.4	316.1	319.9	3.8	0.37	0.08	0.38
ICS18-10A	1108.0	1116.4	8.4	337.7	340.3	2.6	0.26	0.00	0.26
ICS18-10A	1170.3	1187.3	17.0	356.7	361.9	5.2	0.28	0.00	0.28
ICS18-10A	1209.7	1216.1	6.4	368.7	370.7	2.0	0.12	0.00	0.12
ICS18-18	570.6	589.3	18.7	173.9	179.6	5.7	0.17	0.03	0.17
ICS18-18	675.6	692.0	16.4	205.9	210.9	5.0	0.22	0.20	0.24
ICS18-18	795.4	912.0	116.6	242.4	278.0	35.5	0.10	0.01	0.10
ICS18-18	795.4	800.8	5.4	242.4	244.1	1.6	0.49	0.05	0.50
ICS18-18	907.8	912.0	4.2	276.7	278.0	1.3	0.35	0.00	0.35
ICS18-18	979.9	989.3	9.4	298.7	301.5	2.9	0.35	0.00	0.35
ICS18-19	704.4	733.6	29.2	214.7	223.6	8.9	0.35	0.07	0.35
ICS18-19	709.8	717.0	7.2	216.3	218.5	2.2	0.51	0.11	0.52

Hole ID	From (ft)	To (ft)	Length (ft)	From (m)	To (m)	Length (m)	Co (%)	Cu (%)	CoEq (%)
ICS18-19	848.8	895.2	46.4	258.7	272.9	14.1	0.29	0.02	0.29
ICS18-19	881.0	887.9	6.9	268.5	270.6	2.1	0.56	0.03	0.56
ICS18-19	896.6	900.7	4.1	273.3	274.5	1.2	0.04	4.46	0.49
ICS18-26	751.2	802.2	51.0	229.0	244.5	15.5	0.11	0.08	0.12
ICS18-26	838.6	936.3	97.7	255.6	285.4	29.8	0.13	0.19	0.15
ICS18-26	965.6	998.2	32.6	294.3	304.3	9.9	0.22	0.05	0.22
ICS18-26	986.0	995.4	9.4	300.5	303.4	2.9	0.42	0.03	0.42
ICS18-26	1134.8	1150.6	15.8	345.9	350.7	4.8	0.20	0.02	0.20
ICS18-26	1215.6	1262.7	47.1	370.5	384.9	14.4	0.16	0.00	0.16